DISTRIBUTOR



ULTRAPROBE® 10,000 The ultimate digital ultrasonic inspection system for condition monitoring with advanced software packages

The Ultraprobe® 10,000 is the world's most advanced ultrasonic inspection system!

This innovative instrument is jam-packed with so many beneficial features it will make your inspection efficient and easy!



The Ultraprobe® 10,000 enables you to:

- Inspect
- Perform Condition Analysis
- Record and Analyze Sound Samples
- Store and Test Data
- Review Inspection Results
- Manage your Test Data

ALL WITH JUST ONE INSTRUMENT!

The Ultraprobe® 10,000 features onboard Sound Recording with a push of a button. You'll record a sound sample directly into the instrument and link it to the applicable files stored in the Ultraprobe!



The Ultraprobe® 10,000 simplifies sound recording with user-friendly **Spin and Click™** technology. Test the way you want with:

- Specialized Application Screens
- Adjustable On/Off Features
- Connection to External Devices
- Flexible Reporting Options



So advanced, it's simple



ULTRAPROBE® 10,000

is a Complete Ultrasonic Asset Management System

Something for everybody. What do you want to test?


Whatever it may be the Ultraprobe® 10,000 has application-specific software for you. With the click of a button, you can select an application with specialized fields for accurate reporting and analysis.

Select any of 6 applications:

Generic, Leaks, Valves, Bearings, Electrical or Steam and the Ultraprobe® 10,000 automatically sets relevant fields for your data logging convenience – and all stored data is easily downloaded to the Ultratrend™ DMS software.

Expand your inspections

In addition to on-board data logging, the Ultraprobe® 10,000 accepts and stores data from external devices such as thermometers and tachometers.



Specialized fields for the valve application

Review stored data on specialized screens



Select from 6 specialized applications



Data storage screer



Test info screen

Everything needed for specialized testing is included with the Ultraprobe® 10,000 Inspection System



STETHOSCOPE MODULE with pointed tip waveguide.



RAS-MT – REMOTE ACCESS SENSOR MAGNETIC MOUNT TRANSDUCER

comes with cable, which allows users to test hard-to-reach test points. In addition, it provides for consistency in test results by eliminating variables such as angle of approach and contact probe pressure.



LONG RANGE MODULE

will double the detection distance of the standard Trisonic Scanning Module and enhance performance for any electrical or leak inspection job. With a 10° field of view, you can pinpoint the exact location of a problem at a safe distance. Eliminating the need for ladders or a lift!



So advanced, it's simple

Additional Software for Accurate Records and Reports

The Ultraprobe® 10,000 system includes both **Ultratrend DMS™** and **UE Spectralyzer™** software to help you organize and analyze all of your inspection needs.


ULTRATREND DMS™ Data Management System

A comprehensive record storage, data management and data analysis program, the Ultratrend DMS™ allows you to:

- Have multiple views for reviewing data.
- Have a history table and trend chart to review any changes to any of the relevant test fields, such as decibel, frequency, test results, temperature or rpm.
- View data on a trend chart embedded in the program or easily export the file to MS Excel.

Have flexibility as never before! With SD card technology we offer you additional capabilities to help you:

- Upload
- Download
- Saving wave files
- Future upgrades
- NEVER LOSE TEST INFORMATION!




View sound samples in time series



Suite 77/278 Church Street RICHMOND VICTORIA 3121 Ph 0421 474 658 Email sales@ieands.com.au Website www.ieands.com.au

DISTRIBUTOR





View subject sound samples as a spectrogram

An invaluable built-in failsafe feature saves your information onto a SD card. Now you can record, store and save wave files in case of power loss or unlikely crash. You'll be amazed! While you're viewing the sound images, you'll be hearing the sound as it's being played in real time to enhance your analysis. You won't find this exceptional feature anywhere else.

UE SPECTRALYZER™ Spectral Analysis Software

The UE Spectralyzer™ is a spectral analysis software, which converts your PC into a fully functioning FFT analyzer. It provides both spectra and time series views of your recorded sounds. With this software, sound images are easily produced for reporting. You can even attach each sound sample to a file or include an image of the spectra in your report.

ONBOARD SOUND RECORDING... AS EASY AS 1, 2, 3!

With onboard sound recording, just Spin and Click. That's all you'll need to do to record a sound sample with the Ultraprobe® 10,000. You can play your recorded sounds back in real time. All sounds are stored on a SD card for easy downloading to your computer.



The SD card will hold all of your sound files for easy downloading onto your PC. Kit also includes an adapter.



DISTRIBUTOR





Typical Ultraprobe Applications Data Based Mechanical Inspection/Trending

- Bearing Condition
- Rubbing Conditions
- Cavitation
- Gears/Gear Boxes
- Pumps/Motors
- Lack of Lubrication

Data Based Leak Detection/Energy Audits

- Compressed Air
- Compressed Gases $(O_2, NO, etc.)$
- Vacuum Leaks
- Seals and Gaskets
- Condenser Tubes
- Hatches
- Boilers
- Heat Exchangers
- Valves
- Steam Traps


Data Based Electrical Inspection

- Arcing
- Tracking
- Corona
- Switchgear
- Transformers
- Insulators
- Relays
- Bus Bars

Consider the possibilities with the Ultraprobe® 10,000:

Once you've used this instrument, you'll want no other! The Ultraprobe® 10,000 assists your Reporting, Analyzing and Record keeping. For example, you can:

- Trend a group of bearings over time
- Trend one bearing over time
- Analyze steam trap history and costs
- Analyze leak costs
- Note patterns in electrical failure
- Record valve sounds
- Analyze mechanical sounds



And here's a possibility - try to trend a bearing over time. When it exceeds an alarm level, take a spectra and combine all of the data into one report

Ultraprobe® 10,000 Specifications

Construction Hand-held pistol type made with coated aluminum and ABS plastic Circuitry Solid State Analog and SMD Digital Circuitry with temperaturecompensation and true RMS conversion Frequency Range 20 KHz to 100 KHz (tunable in 1 KHz increments) Response Time < 10 ms **Display** 64x128 LCD with LED Backlight Memory 4GB SD card **Battery** Lithium NIMH Rechargeable Operating Temperature 0°C to 50°C (32°F to 122°F) Outputs Calibrated heterodyned output, decibel (dB), frequency, SD card output Headset Trisonic Scanning Module and Stethoscope Module, Long Range Module and RAS/RAM **Indicators** Deluxe noise attenuating headphones

16 Segment Bar Graph

For hard hat use Indicators dB, Frequency, Battery Status and

Detects 0.127 mm (0.005") diameter leak @ 0.34 bar Threshold* (5 psi) at a distance of 15.24 m (50 ft.) Threshold* 1 x 10⁻² std. cc/sec to 1 x 10⁻³ std. cc/sec


Dimensions Complete kit in Zero Halliburton aluminum carrying case 55 x 47 x 20 cm (21.5" x 18.5" x 8")

Weight Pistol Unit: 1.1 kg (2.35 lbs.) Complete carrying case: 8.6 kg (19 lbs)

Warranty 1-year parts/labor standard 5 years with returned, completed warranty registration **Display Modes** Real Time, Snap Shot, Peak Hold, Storage

> Display and Application Specific Depends on leak configuration







Suite 77/278 Church Street RICHMOND VICTORIA 3121 Ph 0421 474 658

Email sales@ieands.com.au Website www.ieands.com.au

